

Free Standing Cabinet with Front / Rear Doors and Removable Side Panels



*Images are for representative purposes only

Product Description:

CTS cabinets plays a crucial role in maintaining the functionality and efficiency of IT infrastructure by providing a secure and organized environment for networking equipment. CTS free standing glass/vented door cabinets come in various sizes typically measured in rack units ranging from 22U up to 47U.

Standards:

EIA-310-D
ASTM B117-19
IEC 60297

Features & Benefits:


- 19" Standard Mounting profile
- Lockable Front and Rear Glass/Vented/Solid Door
- Removable Side Panels
- Fixed Shelves and Roof mount Fans
- Heavy Duty Castors and Levelling Feet
- Vertical Cable Managers
- Static load capacity up to 1000kg
- Top and bottom cable entry
- Adjustable Mounting Rails
- IP20 Protection Degree
- Textured Powder Coat finish

Specification:

Material	High-quality SPCC Cold Rolled Steel
Cabinet Height in Rack Units	9U – 47U
Cabinet Width	600 / 800 / 1000 mm
Cabinet Depth	600 / 800 / 1000 / 1200 mm
Accessories Included	Fan tray with 2 or 4 fans 2 fixed shelves 25 sets cage & nuts 4 pcs castors 4 pcs levelling feet 2 front vertical cable managers
Optional accessories	Horizontal cable managers Blank Panels Power Distribution Unit (PDU)



Free Standing Cabinet with Front / Rear Doors and Removable Side Panels



- | | | | |
|--------------------|----------------------|--------------------|---------------|
| ① Top Cover | ② Front Glass Door | ③ Solid Metal Door | ④ Side Panels |
| ⑤ Mounting Profile | ⑥ Solid Metal Door | ⑦ Door Swing Lock | ⑧ Fan Unit |
| ⑨ Levelling Feet | ⑩ Heavy Duty Castors | ⑪ Bottom Panel | ⑫ Main Frame |



Free Standing Cabinet with Front / Rear Doors and Removable Side Panels



Ordering Information:

CRF2760801GSBK	CTS 27U 600x800mm Free Standing Glass Door Cabinet with front glass door and rear solid metal door Black RAL 9005
CRF2780801GSBK	CTS 27U 800x800mm Free Standing Glass Door Cabinet with front glass door and rear solid metal door Black RAL 9005
CRF27801001GSBK	CTS 27U 800x1000mm Free Standing Glass Door Cabinet with front glass door and rear solid metal door Black RAL 9005
CRF4280801GSBK	CTS 42U 800x800mm Free Standing Glass Door Cabinet with front glass door and rear solid metal door Black RAL 9005
CRF42801001GSBK	CTS 42U 800x1000mm Free Standing Glass Door Cabinet with front glass door and rear solid metal door Black RAL 9005
CRF42801201GSBK	CTS 42U 800x1200mm Free Standing Glass Door Cabinet with front glass door and rear solid metal door Black RAL 9005
CRF4780801GSBK	CTS 47U 800x800mm Free Standing Glass Door Cabinet with front glass door and rear solid metal door Black RAL 9005
CRF47801001GSBK	CTS 47U 800x1000mm Free Standing Glass Door Cabinet with front glass door and rear solid metal door Black RAL 9005
CRF47801201GSBK	CTS 47U 800x1200mm Free Standing Glass Door Cabinet with front glass door and rear solid metal door Black RAL 9005
CRF4280802VVBK	CTS 42U 800x800mm Free Standing Vented Door Cabinet with front and rear dual door Black RAL 9005
CRF42801002VVBK	CTS 42U 800x1000mm Free Standing Vented Door Cabinet with front and rear dual door Black RAL 9005
CRF42801202VVBK	CTS 42U 800x1200mm Free Standing Vented Door Cabinet with front and rear dual door Black RAL 9005
CRF4780802VVBK	CTS 47U 800x800mm Free Standing Vented Door Cabinet with front and rear dual door Black RAL 9005
CRF47801002VVBK	CTS 47U 800x1000mm Free Standing Vented Door Cabinet with front and rear dual door Black RAL 9005
CRF47801202VVBK	CTS 47U 800x1200mm Free Standing Vented Door Cabinet with front and rear dual door Black RAL 9005

Colour options - Replace (BK) in the part number with:
GY = RAL 7035 Grey
Please refer to the part code configurator in the next page



Free Standing Cabinet with Front / Rear Doors and Removable Side Panels



CTS	Rack	Free Standing Type	Height	Width	Depth	Door	Front Door	Rear Door	Colour
C	R	F							
22	22RU								
27	27RU					G	Glass Door		
32	32RU					V	Vented Door		
42	42RU					S	Solid Metal Door		
47	47RU								
60	600mm						BK	Black RAL 9005	
80	800mm						GY	Grey RAL 7035	
100	1000mm								
60	600mm					1	Single Front & Rear		
80	800mm					2	Dual Front & Rear		
100	1000mm					3	Single Front & Dual Rear		
120	1200mm					4	Dual Front & Single Rear		

